

晁霆灯饰
CHAOTING LIGHTING

关于我们

ABOUT US

佛山市南海银照灯饰电器有限公司坐落于粤港澳大湾区著名的制造业城市—佛山。本公司是一家专业从事 LED 轨道照明产品及配件的研发、OEM、销售及售后服务的制造商。公司拥有将近 10000 多平方米的生产厂房，专业的技术研发工程师队伍，65 多名经验丰富的技术人员。银照灯饰为您提供专业的磁吸轨道及 LED 轨道灯饰系统应用解决方案。

Foshan Sampo Lighting & Electric Co., Ltd. is located in Foshan, which is the famous manufacturing city in the Guangdong-Hong Kong-Macaw Greater Bay Area. The company is a manufacturer specializing in R&D, OEM, sales and after-sales service of LED Track Lighting products and accessories. It has an industrial zone of around 10000 square meters, professional engineers team specializing in technology research and development, and more than 65 experienced technicians. Sampo Lighting offers you professional solutions for magnetic track lighting & led track lighting system applications.

我们的荣誉

HONOR

二线导轨条 / Two-Wire Lighting Tracks

本系列产品适用于二线、一回路导轨照明系统，能够稳固安装灯具并供电。导轨条采用优质厚重铝合金挤压型材，内有 2 条导电铜条，具有卓越的导电性能。导电铜的外层采用阻燃 ABS 材料绝缘，确保用户的用电及消防安全。此导轨条可配多种类型的连接器和配件的进行装灯布局。

This series is for two-wire and one-circuit track lighting systems to fix lighting fixtures and provide power. The track rail body was made of premium extruded alum-alloy profile, comes with 2 pieces of copper conducting strips, which are insulated by flame-retarded ABS material. This track rail is compatible with several types of connectors and accessories for versatile lighting layouts and designs.

三线导轨条 / Three-Wire Lighting Tracks

本系列产品适用于三线、一回路导轨照明系统，能够稳固安装灯具并供电。导轨条采用优质厚重铝合金挤压型材，内有 3 条导电铜条，具有卓越的导电性能。导电铜的外层采用阻燃 ABS 材料绝缘，确保用户的用电及消防安全。此导轨条可配多种类型的连接器和配件的进行装灯布局。

This series is for three-wire and one-circuit track lighting systems to fix lighting fixtures and provide power. The track rail body was made of premium extruded alum-alloy profile, comes with 3 pieces of copper conducting strips, which are insulated by flame-retarded ABS material. This track rail is compatible with several types of connectors and accessories for versatile lighting layouts and designs.

四线导轨条 / Four-Wire Lighting Tracks

本系列产品适用于四线、三回路导轨照明系统，能够稳固安装灯具并供电。导轨条采用优质厚重铝合金挤压型材，内有 4 条导电铜条，具有卓越的导电性能。导电铜的外层采用阻燃 ABS 材料绝缘，确保用户的用电及消防安全。此导轨条可配多种类型的连接器和配件的进行装灯布局。

This series is for four-wire and three-circuit track lighting systems to fix lighting fixtures and provide power. The track rail body was made of premium extruded alum-alloy profile, comes with 4 pieces of copper conducting strips, which are insulated by flame-retarded ABS material. This track rail is compatible with several types of connectors and accessories for versatile lighting layouts and designs.

Model No: YZ6203
Round Copper



Model No: YZ6203
Flat copper



Model No: YZ6212A



Model No: YZ6212B



410±10g/M

Model No: YZ6212D



350±10g/M

Model No: YZ6212E



300±10g/M

Model No: YZ6212F



300±10g/M

2 线 A 电源前插 YZ6203-Q Feeder



2 线电源尾塞 YZ6203-W End cap



2 线内接 YZ6203-I Straight connector MINI



2 线直线接驳器 Straight connector



2 线 L 型接驳器 YZ6203-L L- connector



2 线三向接驳器 YZ6203-T T- connector



2 线四向接驳器 YZ6203-X X- connector

2 线多角度接驳器（软接）YZ6203-F Flexible Connector



Model No: YZ6202-Round Copper



Model No: YZ6202-Flat Copper



Model No: YZ6201



Model No: YZ6206



2 线 A 电源接头 6202-Q Feeder



2 线直线接駁器 6201-I I - connector



2 线直线接駁器 6202-I Straight connector



2 线三向接駁器 6202-T T- connector



2 线电源终接 6202-W End cap



2 线 L 型接駁器 6201-L L- connector



2 线 L 型接駁器 6202-L L- connector



2 线四向接駁器 6202-X X- connector



Model No: YZ6301



Model No: YZ6302





COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

3 线 A 電源接駁器 - 左

Feeder-L



3 线 A 電源接駁器 - 右

Feeder-R



3 线 A 电源终接

End cap



3 线 A 迷你型直线接驳器

Straight connector MINI



3 线 A 直线接駁器

Straight connector



3 线 A L 型接駁器 - 左

L- connector - L



3 线 A L 型接駁器 - 右

L- connector - R



3 线 A 三向接駁器 - 左

T- connector - L



3 线 A 三向接駁器 - 右

T- connector - R



3 线 A 四向接駁器

X- connector



3 线 A 多角度接驳器（软接）

Flexible Connector



任意角度接驳器

Flexible Connector



Model No: YZ6313

COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm



3 线 A 電源接駁器 - YZ6313-P Feeder



3 线 A 迷你型直线接驳器 YZ6313-Mini I Connector



3 线 A L 型接駁器 YZ6313-L Connector



3 线 A 四向接駁器 YZ6313- X Connector



3 线 A 多角度接驳器（软接） YZ6313-Soft Connector



3 线 A 电源终接 YZ6313- End Cap



3 线 A 直线接駁器 YZ6313- I Connector



3 线 A 三向接駁器 YZ6313-T Connector



任意角度接驳器 Flexible Connector



Model No: YZ6303



COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

3 线 A 嵌入式 電源接駁器 - 左 Feeder-L



3 线 A 嵌入式 電源接駁器 - 右 Feeder-R



3 线 A 电源终接 End cap



3 线 A 嵌入式 直线接駁器 Straight connector



3 线 A 嵌入式 L 型接駁器 - 左 L- connector - L



3 线 A 嵌入式 L 型接駁器 - 右 L- connector - R



3 线 A 嵌入式 三向接駁器 - 左 T- connector - L



3 线 A 嵌入式 三向接駁器 - 右 T- connector - R



3 线 A 嵌入式 四向接駁器 X- connector



任意角度接驳器 Flexible Connector



Model No: YZ6401



Model No: YZ6404



COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

安装示意图 Installation diagram



产品介绍 Product introduction

4 线LED灯导轨采用全铝材制造，内置全 新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。

6-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruede PVC insulated housing The track is supplied with a series of accessories which will successfully resolve almost all types of lighting imstallation requirements And also has the facility for direct surface mounting through knockouts at 500m spacing.

H-04 電源接駁器 - 左
Feeder-L



H-04 電源接駁器 - 右
Feeder-R



H-04 电源终接
End cap



H-04 迷你型直线接驳器
Straight connector MINI



H-04 直线接駁器
Straight connector



H-04 L 型接駁器 - 左
L- connector - L



H-04 L 型接駁器 - 右
L- connector - R



H-04 三向接駁器 - 左
T- connector - L



H-04 三向接駁器 - 右
T- connector - R



H-04 四向接駁器
X- connector



H-04 任意角度接驳器
Flexible Connector



H-04 多角度接驳器（软接）
Flexible Connector



Model No: YZ6402



COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

安装示意图 Installation diagram



产品介绍 Product introduction

4 线LED灯导轨采用全铝材制造，内置全 新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。

4-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruede PVC insulated housing The track is supplied with a series of accessories which will successfully resolve almost all types of lighting imstallation requirements And also has the facility for direct surface mounting through knockouts at 500m spacing.

H-01 電源接駁器 - 左
Feeder-L



H-01 電源接駁器 - 右
Feeder-R



H-01 电源终接
End cap



H-01 迷你型直线接驳器
Straight connector MINI I



H-01 直线接駁器
Straight connector



H-01 L 型接駁器 - 左
L- connector - L



H-01 L 型接駁器 - 右
L- connector - R



H-01 三向接駁器 - 左
T- connector - L



H-01 三向接駁器 - 右
T- connector - R



H-01 四向接駁器
X- connector



H-01 多角度接驳器（软接）
Flexible Connector



H-01 四线吊装线
Fitting



Model No: YZ6403



COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

安装示意图 Installation diagram



产品介绍 Product introduction

4 线LED灯导轨采用全铝材制造，内置全 新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。

4-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruede PVC insulated housing The track is supplied with a series of accessories which will successfully resolve almost all types of lighting imstallation requirements And also has the facility for direct surface mounting through knockouts at 500m spacing.

H-03 電源接駁器 - 左

Feeder-L



H-03 電源接駁器 - 右

Feeder-R



H-03 电源终接

End cap



H-03 直线接駁器

Straight connector



H-03 L 型接駁器 - 左

L- connector - L



H-03 L 型接駁器 - 右

L- connector - R



H-03 三向接駁器 - 左

T- connector - L



H-03 三向接駁器 - 右

T- connector - R



H-03 四向接駁器

X- connector



H-03 多角度接驳器（软接）

Flexible Connector



Model No: YZ6204



COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

2 线嵌入式电源接头 Feeder



2 线嵌入式电源终接 End cap



2 线嵌入式内接 Straight inner mini I connector

2 线嵌入式直线接驳器 Straight connector



2 线嵌入式 L 型接驳器 L- connector



2 线嵌入式三向接驳器 T- connector



2 线嵌入式四向接驳器 X- connector



2 线嵌入式多角度接驳器（软接） Flexible Connector



展柜和低压导轨条 / Showcase & Low Voltage Lighting Tracks

本系列产品适用于陈列柜及低压照明系统，能够稳固安装灯具并供电。外壳采用优质挤压铝合金型材，具有良好的散热性。内壳采用阻燃PVC材料能很好地起到绝缘作用，确保用户的用电及消防安全。内装有导电铜条，具有卓越的导电性能。

This series is for showcase and low voltage lighting systems to supply power to lighting fixtures. The exterior body was made of premium extruded alum-alloy profile, and interior housing was made of flame-retarded ABS material, it comes with 2 pieces of copper conducting strips inside, which has high performance at electrical conductivity.

Model No:YZ6501



二线展柜导轨 2 Wires Showcase track

尺寸 Size	L17*H15mm
颜色 Finish	Black / White

二线插头 2 wires plug

型号 Model No	YZ-6501插头
颜色 Finish	Black / White

二线取电头 2 wires feeder

型号 Model No	YZ6501–D
尺寸 Size	L80*W18mm
颜色 Finish	Black / White

Model No: YZ6502



三线展柜导轨 3 Wires Showcase track

尺寸 Size	L21*H16mm
颜色 Finish	Black / White

三线插头 2 wires plug

型号 Model No	YZ-6502插头
颜色 Finish	Black / White

三线取电头 3 wires feeder

型号 Model No	YZ6502–D
尺寸 Size	L88*W51mm
颜色 Finish	Black / White

Model No: YZ6503



二线背磁软导轨 2 Wires Showcase track

尺寸 Size	L18.5*H6.5mm
颜色 Finish	Black / White

软导轨取电头 2 wires Soft track rail feeder

型号 Model No	YZ6503–D
尺寸 Size	L219*W33mm
颜色 Finish	Black / White

二线插头 2 wires plug

型号 Model No	YZ-6503转接头
颜色 Finish	Black / White

35宽桥架导轨条 / SuperMarket Track

Model No: YZ6306



三线桥架电源头前插 feeder YZ6306-Q



三线桥架外I接I Connector YZ6306-I



三线无缝1接 MINI Connector YZ6306-MI



三线桥架外L接L Connector YZ6306-L



三线桥架外T接T Connector YZ6306-T



三线桥架外X接X Connector YZ6306-X



桥架吊装件B款 Track Rail Suspending Part B YZ6216/6306-B



Model No: YZ6216



二线桥架电源头 Feeder YZ6216-Q



二线桥架外I接I Connector YZ6216-I



二线无缝I接 MINI Connector YZ6216-MI



二线桥架外L接L Connector YZ6216-L



二线桥架外T接T Connector YZ6216-T



二线桥架外T接T Connector YZ6216-X



桥架吊装件B款 Track Rail Suspending Part B YZ6216/6306-B



60宽桥架导轨条 / SuperMarket Track

Model No: YZ6222



二线桥架电源头 Feeder YZ6222-Q



桥架尾盖 Bridge tail cover YZ6222/6317-尾盖



二线无缝I接 MINI Connector YZ6222-MI



二线桥架外L接 L Connector YZ6222-L



二线桥架外X接X Connector YZ6222-T



二线桥架外X接 X Connector YZ6222-X



Model No: YZ6317



三线桥架电源头 Feeder YZ6317-Q



桥架吊装件 Track Rail Suspending YZ6222/6317-D



三线无缝I接 MINI Connector YZ6317-MI



三线桥架外L接 L Connector YZ6317-L



三线桥架外X接X Connector YZ6317-T



三线桥架外X接 X Connector YZ6317-X



53宽桥架导轨条 / SuperMarket Track

Model No: YZ6309





COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

三线桥架电源头前插 feeder YZ6309-Q



桥架尾盖 Bridge tail cover YZ6309-尾盖



三线无缝i接 MINI Connector YZ6309-MI



三线桥架外l接l Connector YZ6309-L



三线桥架外T接T Connector YZ6309-T



二线桥架外X接 X Connector YZ6309-X



桥架吊装件B款 Track Rail Suspending Part A YZ6216/6306



桥架吊装件B款 Track Rail Suspending Part B YZ6216/6306



桥架吊装件C款 Track Rail Suspending Part C YZ6216/6306



二线导轨 / Two line guide rail

二线小导轨盒 Two-wire small rail box S004



二线十字导轨Two-wire cross rail box S005



二线双柄导轨盒Two - wire double box S008



方形导轨头 Square rail adapter S015



二线导轨头 Tow-line rail adapter S023



超薄导轨头（PC）Ultra-thin rail adapter S006



二线导轨头 Tow-line rail adapter S004-2



三线导轨头 / Three wire guide rail

三线大双柄导轨头Three wire large double handle rail adapter S013



三线双柄导轨头Three-wire double handle rail adpter S001



三线导轨头3 Three-wire head adapter S031



三线导轨盒Three-wire guide box S012



3线超薄导轨头（PC）Ultra-thin rail adapter S00?



方形导轨头Square rail adapter S015



三线导轨头Three-wire guide rail box S016



四线导轨头 / Four wire guide rail

四线长电器箱Four wire long electrical box S030



四线迷你小盒Four - wire mini box S027



四线导轨盒（大）Four-wire guide box (big) S028



四线导轨盒（长）Four-wire guide box (long) S029



四线导轨头Four wire quide rai S007



四线导轨头（PC）Four-wire rail adapter S002



小四线导轨头（PC）Small four-wire rail adapter S014



四线导轨头 短款Four-wire conjoined (short one) S036-A



五线导轨头 / Five wire guide rail

五线导轨头Five-wire rail adapter S043



五线导轨头Five-wire rail adapter S014



导轨盒-宽盒Rail box - wide box S033



导轨盒-长盒Rail box - long box S034



导轨盒-中盒Guide rail box - middle box S035



导轨盒-迷你盒Guide Box - Mini Box S036



导轨转换盘 Lighting Tracks converter

短转换盘 Conversation Base



长转换盘 Conversation Base



长转换盘 Conversation Base



转换盒选项
Conversation Base Options

☐2 Wire ☐3Wire ☐4 Wire

佛山市南海银照灯饰电器有限公司
Foshan Sampo Lighting & Electrical Co., Ltd.

地址：佛山市南海区丹灶镇罗行四约村罗文杰厂房之一

ADD: Luowenjie Factory Building, Luohang Siyue Village, Danzao Town, Nanhai Dist, Foshan , Guangdong, CN